EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2204	713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 08:50
L2	1789	713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 08:50
L3	250	1 and (boot-strap$4 (boot adj1 strap$4) bootstrap$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 08:50
L4	381	2 and (boot-strap$4 (boot adj1 strap$4) bootstrap$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 08:50
L5	73	"active client" with (upgrad$7 updat$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 08:58
L6	178	(configuration adj1 client) and (boot-strap$4 (boot adj1 strap$4) bootstrap$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:00
L7	115	(configuration adj1 client) and (boot-strap$4 (boot adj1 strap$4) bootstrap$4) and query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:04
L8	115	"configuration client" and (boot-strap$4 (boot adj1 strap$4) bootstrap$4) and query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:04
L9	0	configuration-client and (boot-strap$4 (boot adj1 strap$4) bootstrap$4) and query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:04

L10	0	configuration-client and (boot-strap$4 (boot adj1 strap$4) bootstrap$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:05
L11	297	(configuration adj1 server) with ((resource adj1 locator) URL address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:05
L12	33	(configuration adj1 server) with ((resource adj1 locator) URL address) and (boot-strap$4 (boot adj1 strap$4) bootstrap$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:10
L13	498	(configuration adj1 server) and (configuration adj1 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:11
L14	3	configuration-client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:12
L15	183	717/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:13
L16	341	717/173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:13
L17	1353	709/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:14
L18	6912	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:13
L19	27	17 and (configuration adj1 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:16

L20	264	18 and (configuration adj1 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:14
L21	1122	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:16
L22	49	709/221.ccls. and (configuration adj1 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 09:19
L23	1	((boot-strap$4 (boot adj1 strap$4) bootstrap$4) with configuration with client with server).clm.	US-PGPUB	OR	ON	2006/09/26 09:19
S1	863	ldap with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:55
S2	4	ldap with server with udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 11:57
S3	137	ldap with server and udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 11:58
S4	63	ldap with server and udp with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 11:58
S5	21	ldap with server and udp with packet and configuration with client and configuration with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:06
S6	7	((updat$7 upgrad$7) with active with client) and ldap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:08

S7	189	(updat$7 upgrad$7) with active with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:15
S8	409	"active client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:15
S9	30	"active client" with (upgrad$7 updat$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:15
S10	60	ldap with server and udp with packet and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/28 12:18
S11	330552	active with (application software) updat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:54
S12	66366	active with (application software) updat$3 and receiv$3 with terminat$4 with (reload$3 restart$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:54
S13	0	active with (application software) with updat$3 and receiv$3 with terminat$4 with (reload$3 restart$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:54
S14	354	active with (application software) with updat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:55
S15	6	active with (application software) with updat$3 with terminat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:56
S16	4	active with (application software) with updat$3 with (restart$3 reload$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 10:58

EAST Search History

S17	15	active with (application software) with updat$3 and updat$3 with (restart$3 reload$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 11:01
S18	1	terminat$3 with updat$3 with (software application) with (restart$3 reload$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 11:02
S19	218	run$1time with (updat$3 upgrad$3) with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 11:03
S20	4	run$1time with (updat$3 upgrad$3) with (software application program) and terminat$3 with (reload$3 restart$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:00
S21	7	(software application program) with updat$3 with "active client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:02
S22	1	2002-405386.NRAN.	DERWENT	OR	OFF	2003/09/26 15:01
S23	8	(software application program) with updat$3 with client with (orb middle$1ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:03
S24	11	(software application program) with updat$3 with client with (orb broker middle$1ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:21
S25	2595	(software application program) with updat$3 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:22
S26	360	((software application program) with updat$3 with (client network)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/26 15:22

S27	52	717/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:29
S28	1378	(updat$7 upgrad$7) with running with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:30
S29	356	(updat$7 upgrad$7) with running with (software application program) with (network client server remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:54
S30	0	((updat$7 upgrad$7) with running with (software application program) with (network client server remote)) with while	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:30
S31	356	((updat$7 upgrad$7) with running with (software application program) with (network client server remote))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 12:30
S32	1	2002-405386.NRAN.	DERWENT	OR	OFF	2003/11/20 12:48
S33	85	((updat$7 upgrad$7) with running with (software application program) with (network client server remote)) and (restart$3 re-start$3 re-execut$3 reexecut$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/20 13:36
S34	37	"5920725".URPN.	USPAT	OR	ON	2003/11/20 12:57
S35	116	717/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:56
S36	156	717/173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:56
S37	96	717/176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:56

S38	84	717/177.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:56
S39	163	717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S40	0	709/203.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S41	3831	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S42	2199	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S43	2147	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 10:57
S50	2	("5920725").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 13:26
S52	81	bootstrap with configur$ with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 13:42
S53	48	boot$5 with configur$ adj1 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 09:26
S54	1621	ldap with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15

EAST Search History

S55	5	ldap with server with udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S56	239	ldap with server and udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S57	92	ldap with server and udp with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S58	33	ldap with server and udp with packet and configuration with client and configuration with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S59	23	((updat$7 upgrad$7) with active with client) and ldap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S60	324	(updat$7 upgrad$7) with active with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S61	660	"active client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S62	47	"active client" with (upgrad$7 updat$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S63	85	ldap with server and udp with packet and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S64	440477	active with (application software) updat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15

S65	85762	active with (application software) updat$3 and receiv$3 with terminat$4 with (reload$3 restart$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S66	1	active with (application software) with updat$3 and receiv$3 with terminat$4 with (reload$3 restart$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S67	549	active with (application software) with updat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S68	10	active with (application software) with updat$3 with terminat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S69	6	active with (application software) with updat$3 with (restart$3 reload$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S70	26	active with (application software) with updat$3 and updat$3 with (restart$3 reload$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S71	3	terminat$3 with updat$3 with (software application) with (restart$3 reload$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S72	350	run$1time with (updat$3 upgrad$3) with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S73	5	run$1time with (updat$3 upgrad$3) with (software application program) and terminat$3 with (reload$3 restart$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S74	8	(software application program) with updat$3 with "active client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15

EAST Search History

S75	1	2002-405386.NRAN.	DERWENT	OR	OFF	2005/05/13 16:15
S76	10	(software application program) with updat$3 with client with (orb middle$1ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S77	15	(software application program) with updat$3 with client with (orb broker middle$1ware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S78	4245	(software application program) with updat$3 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S79	515	((software application program) with updat$3 with (client network)). ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S80	103	717/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S81	2063	(updat$7 upgrad$7) with running with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S82	564	(updat$7 upgrad$7) with running with (software application program) with (network client server remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S83	0	((updat$7 upgrad$7) with running with (software application program) with (network client server remote)) with while	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S84	564	((updat$7 upgrad$7) with running with (software application program) with (network client server remote))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S85	1	2002-405386.NRAN.	DERWENT	OR	OFF	2005/05/13 16:15

S86	121	((updat$7 upgrad$7) with running with (software application program) with (network client server remote)) and (restart$3 re-start$3 re-execut$3 reexecut$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S87	46	"5920725".URPN.	USPAT	OR	ON	2005/05/13 16:15
S88	235	717/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S89	247	717/173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S90	204	717/176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S91	147	717/177.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S92	277	717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S93	0	709/203.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S94	5312	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S95	3199	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15

S96	3019	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S97	2	("5920725").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 16:15
S98	82	bootstrap with configur$ with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S99	48	boot$5 with configur$ adj1 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:15
S10 0	381	configuration with agent with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:12
S10 1	172	configuration with agent with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:26
S10 2	5	configuration with agent with client with server same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:34
S10 3	251	configuration with client with server same query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:34
S10 4	2	query with configuration adj1 server with updat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:35
S10 5	20	configuration adj1 server with updat$3 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:39

EAST Search History

S106	1	2002-405386.NRAN.	DERWENT	OR	ON	2005/09/23 16:35
S107	861	updat$3 with active with (software application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:40
S108	124	updat$3 with (running active) with (software application program) with (terminat$3 shut$4 end$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 16:42
S109	70	updat$3 with (running active) with (software application program) with (terminat$3 shut$4 halt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 17:01
S110	4	(("6314088") or ("6029196")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 17:01
S112	2459	"configuration client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 08:59
S113	3	configuration-client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:34
S114	70	"active client" with (upgrad$7 updat$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 09:42